## 16-th Baltic Way

Stokholm, Sweden – November 5, 2005

- 1. Let  $a_0$  be a positive integer. Define the sequence  $\{a_n\}_{n\geq 0}$  as follows: if  $a_n = \sum_{i=0}^{j} c_i 10^i$  where  $c_i$  are integers with  $0 \le c_i \le 9$ , then  $a_{n+1} = c_0^{2005} + c_1^{2005} + \cdots + c_j^{2005}$ . Is it possible to choose  $a_0$  so that all the terms in a sequence are distinct?
- 2. Let  $\alpha, \beta$ , and  $\gamma$  be three angles with  $0 \le \alpha, \beta, \gamma < 90^{\circ}$  and  $\sin \alpha + \sin \beta + \sin \gamma = 1$ . Show that

$$\tan^2\alpha + \tan^2\beta + \tan^2\gamma \geq \frac{3}{8}.$$

3. Consider the sequence  $\{a_k\}_{k\geq 1}$  defined by  $a_1 = 1, a_2 = \frac{1}{2}, a_{k+2} = a_k + \frac{1}{2}a_{k+1} + \frac{1}{4a_ka_{k+1}}$ , for  $k \geq 1$ . Prove that

$$\frac{1}{a_1a_3} + \frac{1}{a_2a_4} + \frac{1}{a_3a_5} + \dots + \frac{1}{a_{98}a_{100}} < 4.$$

- 4. Find three different polynomials P(x) with real coefficients such that  $P(x^2+1) = P(x)^2 + 1$  for all real *x*.
- 5. Let a, b, c be positive real numbers with abc = 1. Prove that

$$\frac{a}{a^2+2} + \frac{b}{b^2+2} + \frac{c}{c^2+2} \le 1.$$

- 6. Let *K* and *N* be positive integers with  $1 \le K \le N$ . A deck of *N* different playing cards is shuffled by repeating the operation of reversing the order of *K* topmost cards and moving these to the bottom of the deck. Prove that the deck will be vack in its initial order after a number of oprations not greater than  $4 \cdot N^2/K^2$ .
- 7. A rectangular array has *n* rows and 6 columns, where n > 2. In each cell there is written eitgher 0 or 1. All rows in the array are different from each other. For each two rows  $(x_1, x_2, x_3, x_4, x_5, x_6)$  and  $(y_1, y_2, y_3, y_4, y_5, y_6)$  the row  $x_1y_1, x_2y_2, x_3y_3, x_4y_4, x_5y_5, x_6y_6$  also can be found in the array. Prove that there is a column in which at least half of the entries are zeros.
- 8. Consider a grid of  $25 \times 25$  unit squares. Draw with a red pen contours of squares of any size on the grid. What is the minimal number of squares we must draw in order to color all the lines of the grid?
- 9. A rectangle is divided into  $200 \times 3$  unit squares. Prove that the number of ways of splitting this rectangle into rectangles of size  $1 \times 2$  is divisible by 3.
- 10. Let  $m = 30030 = 2 \cdot 3 \cdot 5 \cdot 7 \cdot 11 \cdot 13$  and let *M* be the sert of its positive divisors which have exactly two prime factors. Determine the minimal integer *n* with the following property: for any choice of *n* numbers from *M*, there exist 3 numbers *a*,*b*,*c* among them satisfying  $a \cdot b \cdot c = m$ .

1



The IMO Compendium Group, D. Djukić, V. Janković, I. Matić, N. Petrović

www.imomath.com

- 11. Let the points *D* and *E* lie on the sides *BC* and *AC*, respectively, of the traingle *ABC*, satisfying BD = AE. The line joining the circumcenter of the triangles *ADC* and *BEC* meets the lines *AC* and *BC* at *K* and *L*, respectively. Prove that KC = LC.
- 12. Let *ABCD* be a convex quadrilateral such that BC = AD. Let *M* and *N* be the midpoints of *AB* and *CD*, respectively. The lines *AD* and *BC* meet the line *MN* at *P* and *Q*, respectively. Prove that CQ = DP.
- 13. What is the smallest number of circles of radius  $\sqrt{2}$  that are needed to cover a rectangle
  - (a) of size  $6 \times 3$ ?
  - (b) of size  $5 \times 3$ ?
- 14. Let the medians of the triangle *ABC* meet at *M*. Let *D* and *E* be different points on the line *BC* such that DC = CE = AB, and let *P* and *Q* be points on the segments *BD* and *BE*, respectively, such that 2BP = PD and 2BQ = QE. Determine  $\angle PMQ$ .
- 15. Let the lines *e* and *f* be perpendicular and intersect each other at *H*. Let *A* and *B* lie on *e* and *C* and *D* lie on *f*, such that all the five points *A*, *B*, *C*, *D* and *H* are distinct. Let the lines *b* and *d* pass through *B* and *D* respectively, perpendicularly to *AC*; let the lines *a* and *c* pass through *A* and *C*, respectively, perpendicularly to *BD*. Let *a* and *b* intersect at *X* and *c* and *d* itnersect at *Y*. Prove that *XY* passes through *H*.
- 16. Let *p* be a prime number and let *n* be a positive integer. Let *q* be a positive divisor of  $(n + 1)^p n^p$ . Show that q 1 is divisible by *p*.
- 17. A sequence  $\{x_n\}_{n\geq 0}$  is defined as follows:  $x_0 = a, x_1 = 2$ , and  $x_n = 2x_{n-1}x_{n-2} x_{n-1}x_{n-2} + 1$  for n > 1. Find all integers *a* such that  $2x_{3n} 1$  is a perfect square for all  $n \ge 1$ .
- 18. Let *x* and *y* be positive integers and assume that  $z = \frac{4xy}{x+y}$  is an odd integer. Prove that at least one divisor of *z* can be expressed in the form 4n 1 where *n* is a positive integer.
- 19. Is it possible to find 2005 different positive square numbers such that their sum is also a square number?
- 20. Find all positive integers  $n = p_1 p_2 \cdots p_k$  which divide  $(p_1 + 1)(p_2 + 1) \cdots (p_k + 1)$ , where  $p_1 p_2 \cdots p_k$  is the factorization of *n* into prime factors (not necessarily distinct).



The IMO Compendium Group, D. Djukić, V. Janković, I. Matić, N. Petrović www.imomath.com